



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/775,542	02/10/2004	Donald A. Seccombe JR.	BTU-099XX	6694

207 7590 09/20/2005

WEINGARTEN, SCHURGIN, GAGNEBIN & LEOVICI LLP
TEN POST OFFICE SQUARE
BOSTON, MA 02109

EXAMINER

LEUNG, PHILIP H

ART UNIT	PAPER NUMBER
----------	--------------

3742

DATE MAILED: 09/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/775,542

Applicant(s)

SECCOMBE ET AL.

Examiner

Philip H. Leung

Art Unit

3742

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 7-5-2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-40 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-40 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-12, 14-18 and 38 are rejected under 35 U.S.C. 103(a) as being obvious over Rokhvarger (US 5,911,941) or Brennan (US 6,344,634), in view of Bowden (GB 2 262 333) (all previously cited) combined with Sato et al (US 2003/0071037) or Tsukamoto et al (US 5,954,986) (both newly cited).

Rokhvarger shows a system for sintering ceramics including a furnace having a furnace chamber, a support assembly, a microwave heating source and a convection/radiation heating source for heating the ceramic materials (see Figures 1-5, col. 4, line 62 - col. 5, line 19 and col. 7, line 1 - col. 13, line 17). Brennan also shows a system for sintering ceramics including a furnace having a furnace chamber 10, a support assembly, a microwave heating source 16 with a controller 18 and a convection/radiation heating source with a controller 20 for heating the ceramic materials (see Figures 1-3 and col. 3, line 55 - col. 7, line 55). Therefore it can be seen that Rokhvarger or Brennan shows every feature as claimed except for the additional use of one or more eductors each having an outlet located in the furnace chamber to provide circulation of gas within the chamber. Bowden shows a furnace for sintering ceramics including a microwave

Art Unit: 3742

cavity 10 having a chamber 11, a heating source 20 and eductors 23 on opposite sides of the chamber 11 to provide circulation of the atmosphere within the chamber (see Figures 1-7 and pages 4-8). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Rokhvarger or Brennan to use one or more eductors to provide or supplement the circulation of the atmosphere within the furnace chamber in order to eliminate any stagnation areas within the chamber for a more uniform temperature environment throughout the furnace chamber for more uniform heating result, in view of the teaching of Bowden (at page 7, first paragraph). Rokhvarger or Brennan combined with Bowden does not show an opening on the support aligned with an eductor to provide a circulation path. However, Bowden teaches that the screen 24 supporting the workpiece 19 may be porous to allow heated gas passing there through. Anyway, Sato shows a microwave sintering furnace with insulating walls 6 and 7 supporting a workpiece. An eductor 9 for supplying a gas through holes 6a, 7a, 7b, 6b aligned with the eductor 9 and outlet 10 to form a circulation passage (see Figures 1 and 2 and paragraphs [0018]-[0025]). Tsukamoto also shows that it is well known in the art of combination microwave and convection oven to provide heated air jet valves 19 locating above and below a load support 13 which including openings 94 to allow the air to form an air circulation passage for more direct heating of the load (see Figures 2-5 and col. 9, lines 1-63). It would have been further obvious to one of ordinary skill in the art at the time of the invention to modify Rokhvarger or Brennan combined with Bowden to provide at least one opening on the support aligning with one or more eductors so that the heated air can more efficiently heat the load by direct contact for more uniform heating result, in view of the teaching of Sato or Tsukamoto. In regard to claims 3 and 4, Rokhvarger shows the use of microwave sources with

Art Unit: 3742

different frequencies (see col. 4, line 62 - col. 5, line 19 and col. 13, lines 1-3). The control system of Rokhvarger or Brennan are controlled in all stages of the thermal process (see Figure 1 of Rokhvarger and Figure 1 of Brennan).

3. Claim 13 is rejected under 35 U.S.C. 103(a) as being obvious over Rokhvarger (US 5,911,941) or Brennan (US 6,344,634), in view of Bowden (GB 2 262 333) combined with Sato et al (US 2003/0071037) or Tsukamoto et al (US 5,954,986) as applied to claims 1-12, 14-18 and 38 above, and further in view of Marks et al (US 5,660,543) (newly cited).

Rokhvarger or Brennan combined with Bowden and Sato or Tsukamoto does not show the operating of the eductors in alternating manner. Marks shows that it is well known in the art of convection heating furnaces to use two plenums 48a, 48b with openings for alternate air flows on both sides of the workpieces 26 (see Figures 1-4; col. 3, line 47 – col. 4, line 4 and col. 4, line 60 – 8, line 10). It would have been further obvious to one of ordinary skill in the art at the time of the invention to modify Rokhvarger or Brennan Bowden to provide eductors on both sides of the workpiece and form air flows in an alternate manner so that the workpiece is subject to a pulsed heating by heated gas for better heating result, in view of the teaching of Marks (at col. 8, lines 11-46).

Art Unit: 3742

4. Claims 19-37, 39 and 40 are rejected under 35 U.S.C. 103(a) as being obvious over Rokhvarger (US 5,911,941) or Brennan (US 6,344,634), in view of Bowden (GB 2 262 333) combined with Marks et al (US 5,660,543).

Rokhvarger shows a system for sintering ceramics including a furnace having a furnace chamber, a support assembly, a microwave heating source and a convection/radiation heating source for heating the ceramic materials (see Figures 1-5, col. 4, line 62 - col. 5, line 19 and col. 7, line 1 - col. 13, line 17). Brennan also shows a system for sintering ceramics including a furnace having a furnace chamber 10, a support assembly, a microwave heating source 16 with a controller 18 and a convection/radiation heating source with a controller 20 for heating the ceramic materials (see Figures 1-3 and col. 3, line 55 - col. 7, line 55). Therefore it can be seen that Rokhvarger or Brennan shows every feature as claimed except for the additional use of one or more eductors each having an outlet located in the furnace chamber to provide circulation of gas within the chamber. Bowden shows a furnace for sintering ceramics including a microwave cavity 10 having a chamber 11, a heating source 20 and eductors 23 on opposite sides of the chamber 11 to provide circulation of the atmosphere within the chamber (see Figures 1-7 and pages 4-8). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Rokhvarger or Brennan to use one or more eductors to provide or supplement the circulation of the atmosphere within the furnace chamber in order to eliminate any stagnation areas within the chamber for a more uniform temperature environment throughout the furnace chamber for more uniform heating result, in view of the teaching of Bowden (at page 7, first paragraph). Rokhvarger or Brennan combined with Bowden does not show the operating of the eductors in alternating manner. Marks shows that it is well known in the art of convection

Art Unit: 3742

heating furnaces to use two plenums 48a, 48b with openings for alternate air flows on both sides of the workpieces 26 (see Figures 1-4, col. 3, line 47 – col. 4, line 4 and col. 4, line 60 – 8, line 10). It would have been further obvious to one of ordinary skill in the art at the time of the invention to modify Rokhvarger or Brennan combined with Bowden to provide eductors on both sides of the workpiece and form air flows in an alternate manner so that the workpiece is subject to a pulsed heating by heated gas for better heating result, in view of the teaching of Marks (at col. 8, lines 11-46). In regard to claims 21, 22, 25 and 26, Rokhvarger shows the use of microwave sources with different frequencies (see col. 4, line 62 - col. 5, line 19 and col. 13, lines 1-3). In regard to claim 19, the removal of binders (binder burnout) in processing ceramic materials is well known, for examples; see Rokhvarger, col. 19, lines 4-17. The control system of Rokhvarger or Brennan are controlled in all stages of the thermal process (see Figure 1 of Rokhvarger and Figure 1 of Brennan).


5. Applicant's arguments with respect to claims 1, 13 and 19 and the new claims have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 3742

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip H Leung whose telephone number is (571) 272-4782. The examiner can normally be reached on flexible.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robin Evans can be reached on (571) 272-4777. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Philip H Leung
Primary Examiner
Art Unit 3742

P.Leung/pl
9-16-2005